

GT5000

1080p Ultra Short Throw Projector

- Lights on viewing bright 3000 lumens
- Super-sized 100-inch images GT5000 placed 30cm away from a flat surface or screen
- Enjoy live sports, TV shows and gaming in Full 1080p
- Easy to setup multiple connectivity for digital devices and great sound from integrated speakers



















GT5000

Super-sized 100-inch images from 30cm

Experience a super-sized 100-inch image with the GT5000 placed less than 30cm away from a flat surface* or screen. Live sports are not to be missed on this Full 1080p projector, whilst watching films is the closest thing you'll get to the cinema in your own home. And with high brightness and low latency it is great for playing action-packed games in any room.

An integrated speaker provides you with great sound and two HDMI inputs enables an easy setup. You can even turn it into a smart projector by connecting a HDMI dongle like the HDCast Pro, Google Chromecast™ or Apple TV™ to play games, stream videos and share photos on the big screen in the comfort of your own home.

*Like all Ultra short projectors; to get a perfect image requires a completely flat surface. As most walls are not entirely flat, to avoid slight distortion to the top of the picture, you may need to install a screen onto your projection surface for a perfect image. If this is not possible, we suggest that for non-flat walls you might be better to use a short throw projector which can throw a 100" image from just over 1m".

Ultra short throw



With an ultra-short throw lens, you can project an impressive 100" image from just 30cm away away from a flat surface or screen. This allows you to place the projector closer to the wall and removes the need for lengthy cables, simplifies setup and reduces installation time.

Full HD 1080p

1080p resolution gives you sharp and detailed images from HD content without downscaling or compression; perfect for watching Blu-ray movies, HD broadcasting and playing video games.



High Contrast

Add more depth to your image with a high contrast projector; with brighter whites and ultra-rich blacks, images come alive and text appears crisp and clear - ideal for business and education applications.

Full 3D

Optoma projectors can display true 3D content from almost any 3D source, including 3D Blu-ray players, 3D broadcasting and the latest generation games consoles. Support for 144Hz rapid refresh rate provides ultra-smooth flicker free images.



Integrated Speaker

Complete your home entertainment experience with the convenience of a powerful built-in speaker. Built-in speakers provide exceptional sound quality and are easy to set up without the need for costly external speakers.

Eco+



Eco+ technology brings together high contrast, improved lamp life and energy saving features that are easy to use while reducing power consumption.

Energy Saving

Using the specially designed lamp modes, you can reduce the power consumption by up to 70%. Each mode also has a positive effect on the lamp life, while lowering the total cost of ownership and reducing maintenance.

Quick Resume

This feature allows the projector to be instantly powered on again, if it is accidentally switched off.

Auto Power Off

There may be instances when the projector is left running when not in use. To help save energy, the "Auto Power Off" feature automatically turns off the projector after a set period of time if it is not being used

Smart Projector

Turn your projector into a smart display by connecting the HDCast Pro (sold separately) and stream videos, music and share photos on the big screen using your smartphone or tablet.



Long Lamp Life

The expected lifetime of a typical Optoma projector lamp is an impressive 6500 hours; so if you watch a two hour movie every day, the lamp should last for almost 9 years.

24p

Most movies are shot at 24 frames per second (fps). To preserve the purity of the original image, Optoma projectors can accept high definition sources at 24 fps to display movies exactly as the director intended.

Networking and Control

Featuring a wide range of options you can remotely control and monitor the projector.

Colour Guarantee

Enjoy dazzling colours for years to come; guaranteed by Optoma for five years' consistent performance.





Amazing Colours

For vibrant, natural looking images, Optoma projectors incorporate BrilliantColor™ multi-colour processing technology.





Wireless

Stream Full 1080p 3D content to your projector wirelessly; eliminating the hassle and extra cost of installing long cables, the WHD200 (sold separately) allows you to connect a Blu-ray™ player, set-top box, gaming console or AV receiver instantly.





USB Power

Use the USB-Power to power an HDMI dongle, such as Google Chromecast or the Optoma WHD200 wireless HDMI device.

GT5000 Specification

Native Resolution	Display Technology	Single 0.65" DarkChip 3 1080p DLP® Technology by Texas Instruments
Contrained Con		0 , ,
Contrast 23,000:1 Lamp Life 2 Eco+/Dynamic/Eco/Bright 6500/5000/5000/3000 (hrs) 6500/5000/5000/5000/5000/5000/5000/5000	Brightness ¹ (Bright Mode)	3000 ANSI Lumens
Throw Ratio 0.2.5-1		23,000:1
Throw Ratio 0.2.5-1	Lamp Life ² Fco+/Dynamic/Fco/Bright	6500/5000/5000/3000 (hrs)
Fixed		· · ·
Variable		·
Keystone Correction ± 20" Vertical Weight (kg) 4.78 Dimensions (W x D x H) (mim) 385 x 310 x 120 Aspect Ratio 16:9 Native, 4.3 Compatible Offset 118% Projection Screen Size 2.03 - 2.54m (80" - 100") Diagonal 16:9 Projection Distance 0.45 - 0.59m Projection Lens FZ.24, F3.72mm, Fixed Zoom Uniformity 85% Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, WGA, Mac Video Compatibility PAL (B, D, G, H, I, M, N, 576l/p), NTSC (M, 4433,58 MHz, 480l/p), SECAM (B, D, G, K, K1, L) HD (1080i, 720p) 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems, 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D N and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side-1080is 07 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Input Lag (ms) 33 Horizontal Scan Rate 15391.1kHz Vertical Scan Rate 24-86Hz (120Hz for 3D) Displayable Colours 1.07 Bill		2 x HDMI (1.4a 3D support), 2 x VGA (YPbPr/RGB), Composite, 2 x Audio In 3.5mm, Audio Out 3.5mm, VGA Out (Shared with
Weight (kg) 4.78 Dimensions (W x D x H) (mm) 385 x 310 x 120 Aspect Ratio 16:9 Native, 4.3 Compatible Offset 118% Projection Screen Size 2.03 – 2.54m (80° – 100°) Diagonal 16:9 Projection Distance 0.45 - 0.59m Projection Lens Fi2.4; F-3.72mm, Fixed Zoom Uniformity 85% Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility PAL (B, D, G, H, I, M, N, 576l/p), NTSC (M, 4.43/3.58 MHz, 480l/p), SECAM (B, D, G, K, K1, L) HD (1080i, 720p) 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems. (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side-1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Input Lag (ms) 33 3D Compatibility 33 Horizontal Scan Rate 15.3 - 91.1kHz Vertical Scan Rate 15.3 - 91.1kHz Vertical Scan Rate 24 - 85Hz (120Hz for 3D) Displayable Colours <td>Speaker</td> <td>16</td>	Speaker	16
Dimensions (W x D x H) (mm) 385 x 310 x 120 Aspect Ratio 16.9 Native, 43 Compatible Offset 118% Projection Screen Size 2.03 − 2.54m (80" − 100") Diagonal 16:9 Projection Distance 0.45 − 0.95m Projection Lens F/2.4; F=3.72mm, Fixed Zoom Uniformity 85% Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility PAL (8, D, G, H, I, M, N, 576/9), NTSC (M, 4.43/3.58 MHz, 480/p), SECAM (8, D, G, K, K1, L) HD (1080i, 720p) 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems, 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side: 1080160 / 60, 720p50 / 60 Input Lag (ms) 33 Horizontal Scan Rate 15.5 - 91.1kHz Vertical Scan Rate 24 + 85Hz (120Hz for 3D) Usplayable Colours 1.07 Pillion Noise Level (Eco mode) 28dB Power Consumption 310W Bright mode / 260W Eco mode (< 0.5W Standby) Lamp Type 260W </td <td>Keystone Correction</td> <td>± 20° Vertical</td>	Keystone Correction	± 20° Vertical
Aspect Ratio 16:8 Native, 4:3 Compatible Offset 118% Projection Screen Size 2.03 – 2.54m (80" – 100") Diagonal 16:9 Projection Distance 0.45 - 0.59m Projection Lens Fi72.4; Fe3.72mm, Fixed Zoom Uniformity 85% Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility PAL (B, D, G, H, I, M, N, 576i/p), NTSC (M, 4.43/3.58 MHz, 480i/p), SECAM (B, D, G, K, K1, L) HD (1080i, 720p) 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 30 deutational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK),	Weight (kg)	4.78
Offset 118% Projection Screen Size 2.03 − 2.54m (80" − 100") Diagonal 16:9 Projection Distance 0.45 - 0.59m Projection Lens F/2.4; (=3.72mm, Fixed Zoom Uniformity 85% Computer Compatibility UKGA, SXGA, WXGA, HD, XGA, SVGA, WGA, Mac Video Compatibility PAL (B, D, G, H, I, M, N, 576i/p), NTSC (M, 4.43/3.58 MHz, 480i/p), SECAM (B, D, G, K, K1, L) HD (1080i, 720p) 3D Support Full 3D - Tha 3D features of Optoma projectors an only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Bu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Input Lag (ms) 33 Horizontal Scan Rate 15.3 - 91.1kHz Vertical Scan Rate 24 - 85Hz (120Hz for 3D) Displayable Colours 1.07 Billion Noise Level (Eco mode) 28dB Power Consumption 310W Bright mode / 260W Eco mode (< 0.5W Standby)	Dimensions (W x D x H) (mm)	385 x 310 x 120
Projection Screen Size 2.03 – 2.54m (80" – 100") Diagonal 16:9 Projection Distance 0.45 - 0.59m Projection Lens F/24, f=3.72mm, Fixed Zoom Uniformity 85% Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility PAL (B, D, G, H, I, M, N, 576/p), NTSC (M, 4.43/3.58 MHz, 480/p), SECAM (B, D, G, K, K1, L) HD (10801, 720p) 3D Support Full 30 - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 30 educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080j60 / 60, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Input Lag (ms) 33 Horizontal Scan Rate 15.3 - 91.1kHz Vertical Scan Rate 15.3 - 91.1kHz Vertical Scan Rate 15.3 - 91.1kHz Power Consumption 28dB Power Consumption 310W Bright mode / 260W Eco mode (< 0.5W Standby)	Aspect Ratio	16:9 Native, 4:3 Compatible
Projection Distance 0.45 - 0.59m Projection Lens F12.4; f=3.72mm, Fixed Zoom Uniformity 85% Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility PAL (B, D, G, H, I, M, N, 576l/p), NTSC (M, 4.43/3.58 MHz, 480l/p), SECAM (B, D, G, K, K1, L) HD (1080i, 720p) 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK),	Offset	118%
Projection Lens F7.2.4; f=3.72mm, Fixed Zoom Uniformity 85% Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility PAL (B, D, G, H, I, M, N, 576/p), NTSC (M, 4.43/3.58 MHz, 480/p), SECAM (B, D, G, K, K1, L) HD (1080i, 720p) 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080/50 / 60, 720p50 / 60 Frame-pack: 1080/50 / 60, 720p50 / 60 Over-Under: 1080/24, 720p50 / 60 Over-Under: 1080/24, 720p50 / 60 Input Lag (ms) 33 Horizontal Scan Rate 15.3 - 91.1kHz Vertical Scan Rate 15.3 - 91.1kHz Vertical Scan Rate 24 + 85Hz (120Hz for 3D) Displayable Colours 1,07 Billion Noise Level (Eco mode) 28dB Power Supply 100-240V, 50-60Hz Power Consumption 310W Bright mode / 260W Eco mode (< 0.5W Standby) Lamp Type 260W Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Security Security Security bar, Kensington lock, password protection On Screen Display 25 Languages: English, German, French, Italian, Spanish, Portuguese, Swedish, Dutch, Norwegian/Danish, Polish, Russian, Finnish, Greek, Hungarian, Czech, Arabic, Traditional Chinese, Simplified Chinese, Japanese, Korean, Thai, Turkish, Farsi, Romanian, Slovenian 4C power control, battery, quick start card, CD user manual Optional Wireless Yes Optional Wireless Yes	Projection Screen Size	2.03 – 2.54m (80" – 100") Diagonal 16:9
Uniformity 85% Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility PAL (B, D, G, H, I, M, N, 576/p), NTSC (M, 4.43/3.58 MHz, 480/rp), SECAM (B, D, G, K, K1, L) HD (1080i, 720p) 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side-1080/50 / 60, 720/p50 / 60 Frame-pack: 1080/p24, 720/p50 / 60 Input Lag (ms) 33 Horizontal Scan Rate 15.3 - 91.1kHz Vertical Scan Rate 24 - 85Hz (120Hz for 3D) Displayable Colours 1.07 Billion Noise Level (Eco mode) 28dB Power Consumption 310W Bright mode / 260W Eco mode (< 0.5W Standby)	Projection Distance	0.45 - 0.59m
Computer Compatibility UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac Video Compatibility PAL (B, D, G, H, I, M, N, 576/p), NTSC (M, 4.433.58 MHz, 480/p), SECAM (B, D, G, K, K1, L) HD (1080i, 720p) 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080/30 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080	Projection Lens	F/2.4; f=3.72mm, Fixed Zoom
Video Compatibility PAL (B, D, G, H, I, M, N, 576i/p), NTSC (M, 4.43/3.58 MHz, 480i/p), SECAM (B, D, G, K, K1, L) HD (1080i, 720p) 3D Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems, SID TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Input Lag (ms) 33 Horizontal Scan Rate 15.3 - 91.1kHz Vertical Scan Rate 24 - 85Hz (120Hz for 3D) Displayable Colours 1.07 Billion Noise Level (Eco mode) 28dB Power Supply 100-240V, 50-60Hz Power Supply 100-240V, 50-60Hz Power Consumption 310W Bright mode / 260W Eco mode (< 0.5W Standby)	Uniformity	85%
Support Full 3D - The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D ² m and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080ip50 / 60, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Input Lag (ms) 15.3 - 91.1kHz Vertical Scan Rate 15.3 - 91.1kHz Vertical Scan Rate 24 - 85Hz (120Hz for 3D) Displayable Colours 1.07 Billion Noise Level (Eco mode) 28dB Power Supply 100-240V, 50-60Hz Power Consumption 310W Bright mode / 260W Eco mode (< 0.5W Standby) Lamp Type 260W Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Security Security Security bar, Kensington lock, password protection On Screen Display 5°L Languages: English, German, French, Italian, Spanish, Portuguese, Swedish, Dutch, Norwegian/Danish, Polish, Russian, Finnish, Greek, Hungarian, Czech, Arabic, Traditional Chinese, Japanese, Korean, Thai, Turkish, Farsi, Romanian, Slovenian Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Wireless Yes Warranty 1	Computer Compatibility	UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac
with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D TM and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification. 3D Compatibility Side-by-Side:1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Input Lag (ms) 33 Horizontal Scan Rate 15.3 - 91.1kHz Vertical Scan Rate 24 - 85Hz (120Hz for 3D) Displayable Colours 1.07 Billion Noise Level (Eco mode) 28dB Power Consumption 310W Bright mode / 260W Eco mode (< 0.5W Standby) Lamp Type 260W Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Security Se		
Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60 Input Lag (ms) 33 Horizontal Scan Rate 15.3 - 91.1kHz Vertical Scan Rate 24 - 85Hz (120Hz for 3D) Displayable Colours 1.07 Billion Noise Level (Eco mode) 28dB Power Supply 100-240V, 50-60Hz Power Consumption 310W Bright mode / 260W Eco mode (< 0.5W Standby) Lamp Type 260W Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Security Security Security bar, Kensington lock, password protection On Screen Display 25 Languages: English, German, French, Italian, Spanish, Portuguese, Swedish, Dutch, Norwegian/Danish, Polish, Russian, Finnish, Greek, Hungarian, Czech, Arabic, Traditional Chinese, Japanese, Korean, Thai, Turkish, Farsi, Romanian, Slovenian Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories Yes Warranty 1	3D Support	with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a
Horizontal Scan Rate Vertical Scan Rate 24 - 85Hz (120Hz for 3D) Displayable Colours 1.07 Billion Noise Level (Eco mode) 28dB Power Supply 100-240V, 50-60Hz Power Consumption 1310W Bright mode / 260W Eco mode (< 0.5W Standby) Lamp Type 260W Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Security Security Security bar, Kensington lock, password protection On Screen Display 25 Languages: English, German, French, Italian, Spanish, Portuguese, Swedish, Dutch, Norwegian/Danish, Polish, Russian, Finnish, Greek, Hungarian, Czech, Arabic, Traditional Chinese, Simplified Chinese, Japanese, Korean, Thai, Turkish, Farsi, Romanian, Slovenian Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories Optional Wireless Yes Warranty 1	3D Compatibility	Frame-pack: 1080p24, 720p50 / 60
Vertical Scan Rate 24 - 85Hz (120Hz for 3D) Displayable Colours 1.07 Billion Noise Level (Eco mode) 28dB Power Supply 100-240V, 50-60Hz Power Consumption 310W Bright mode / 260W Eco mode (< 0.5W Standby) Lamp Type 260W Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Security Security bar, Kensington lock, password protection On Screen Display 25 Languages: English, German, French, Italian, Spanish, Portuguese, Swedish, Dutch, Norwegian/Danish, Polish, Russian, Finnish, Greek, Hungarian, Czech, Arabic, Traditional Chinese, Japanese, Korean, Thai, Turkish, Farsi, Romanian, Slovenian Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories 3D glasses, wireless Optional Wireless Yes Warranty 1	Input Lag (ms)	33
Displayable Colours 1.07 Billion Noise Level (Eco mode) 28dB Power Supply 100-240V, 50-60Hz Power Consumption 310W Bright mode / 260W Eco mode (< 0.5W Standby) Lamp Type 260W Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Security Security bar, Kensington lock, password protection On Screen Display 25 Languages: English, German, French, Italian, Spanish, Portuguese, Swedish, Dutch, Norwegian/Danish, Polish, Russian, Finnish, Greek, Hungarian, Czech, Arabic, Traditional Chinese, Japanese, Korean, Thai, Turkish, Farsi, Romanian, Slovenian Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories Optional Wireless Yes Warranty 1	Horizontal Scan Rate	15.3 - 91.1kHz
Noise Level (Eco mode) Power Supply 100-240V, 50-60Hz Power Consumption 310W Bright mode / 260W Eco mode (< 0.5W Standby) Lamp Type 260W Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Security Security bar, Kensington lock, password protection On Screen Display 25 Languages: English, German, French, Italian, Spanish, Portuguese, Swedish, Dutch, Norwegian/Danish, Polish, Russian, Finnish, Greek, Hungarian, Czech, Arabic, Traditional Chinese, Japanese, Korean, Thai, Turkish, Farsi, Romanian, Slovenian Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories Optional Wireless Yes Warranty 1	Vertical Scan Rate	24 - 85Hz (120Hz for 3D)
Power Supply 100-240V, 50-60Hz Power Consumption 310W Bright mode / 260W Eco mode (< 0.5W Standby) Lamp Type 260W Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Security Security Security bar, Kensington lock, password protection On Screen Display 25 Languages: English, German, French, Italian, Spanish, Portuguese, Swedish, Dutch, Norwegian/Danish, Polish, Russian, Finish, Greek, Hungarian, Czech, Arabic, Traditional Chinese, Simplified Chinese, Japanese, Korean, Thai, Turkish, Farsi, Romanian, Slovenian Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories 3D glasses, wireless Optional Wireless Yes Warranty 1		
Power Consumption 310W Bright mode / 260W Eco mode (< 0.5W Standby) Lamp Type 260W Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Security Security Security bar, Kensington lock, password protection On Screen Display 25 Languages: English, German, French, Italian, Spanish, Portuguese, Swedish, Dutch, Norwegian/Danish, Polish, Russian, Finnish, Greek, Hungarian, Czech, Arabic, Traditional Chinese, Simplified Chinese, Japanese, Korean, Thai, Turkish, Farsi, Romanian, Slovenian Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories 3D glasses, wireless Optional Wireless Yes Warranty 1		
Lamp Type 260W Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Security Security Security bar, Kensington lock, password protection On Screen Display 25 Languages: English, German, French, Italian, Spanish, Portuguese, Swedish, Dutch, Norwegian/Danish, Polish, Russian, Finnish, Greek, Hungarian, Czech, Arabic, Traditional Chinese, Simplified Chinese, Japanese, Korean, Thai, Turkish, Farsi, Romanian, Slovenian Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories 3D glasses, wireless Optional Wireless Yes Warranty 1		100-240V, 50-60Hz
Operating Conditions 5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m Security Security bar, Kensington lock, password protection On Screen Display 25 Languages: English, German, French, Italian, Spanish, Portuguese, Swedish, Dutch, Norwegian/Danish, Polish, Russian, Finnish, Greek, Hungarian, Czech, Arabic, Traditional Chinese, Simplified Chinese, Japanese, Korean, Thai, Turkish, Farsi, Romanian, Slovenian Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories 3D glasses, wireless Optional Wireless Yes Warranty 1	Power Consumption	310W Bright mode / 260W Eco mode (< 0.5W Standby)
Security Security bar, Kensington lock, password protection On Screen Display 25 Languages: English, German, French, Italian, Spanish, Portuguese, Swedish, Dutch, Norwegian/Danish, Polish, Russian, Finnish, Greek, Hungarian, Czech, Arabic, Traditional Chinese, Simplified Chinese, Japanese, Korean, Thai, Turkish, Farsi, Romanian, Slovenian AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories 3D glasses, wireless Optional Wireless Yes Warranty 1		
On Screen Display 25 Languages: English, German, French, Italian, Spanish, Portuguese, Swedish, Dutch, Norwegian/Danish, Polish, Russian, Finnish, Greek, Hungarian, Czech, Arabic, Traditional Chinese, Simplified Chinese, Japanese, Korean, Thai, Turkish, Farsi, Romanian, Slovenian Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories Optional Wireless Yes Warranty 1		
Finnish, Greek, Hungarian, Czech, Arabic, Traditional Chinese, Simplified Chinese, Japanese, Korean, Thai, Turkish, Farsi, Romanian, Slovenian Standard Accessories AC power cord, VGA cable, remote control, battery, quick start card, CD user manual Optional Accessories 3D glasses, wireless Optional Wireless Yes Warranty 1		7 7 0 71
Optional Accessories 3D glasses, wireless Optional Wireless Yes Warranty 1	On Screen Display	Finnish, Greek, Hungarian, Czech, Arabic, Traditional Chinese, Simplified Chinese, Japanese, Korean, Thai, Turkish, Farsi,
Optional Wireless Yes Warranty 1	Standard Accessories	AC power cord, VGA cable, remote control, battery, quick start card, CD user manual
Warranty 1	Optional Accessories	3D glasses, wireless
	Optional Wireless	Yes
RoHS Compliant		
	RoHS	Compliant



Optoma Europe Ltd. 42 Caxton Way, Watford Business Park, Watford, Hertfordshire, UK. WD18 8QZ www.optoma.co.uk

¹Lamp based projectors brightness and lifetime will vary depending on selected projector mode, environmental conditions and usage. As is common with all lamp based projectors, brightness will decrease over the lamp lifetime. LED projectors do not have a replaceable lamp and the brightness does not decay significantly over the product lifetime.

 2 Typical lamp life achieved through testing. Will vary according to operational use and environmental conditions

25/07/2016 16:19