

Xerox® WorkCentre™ 5022/5024 Multifunction Printer

Simplicity, Performance and Affordability



Performance-packed. Affordable and compact.

The Xerox® WorkCentre™ 5022/5024 monochrome multifunction printer is the newest way to print, copy and scan your most common office documents with speed and ease of use – all from one cost-conscious, space-saving device. Discover affordable productivity for the office in its simplest form yet – and start doing more with less.



One Small Footprint

With the WorkCentre 5022/5024, you can replace all of your space-intensive printers, scanners and copiers with a single device that packs power and performance into a pleasingly compact size. Copy, print, scan or fax in a small footprint while delivering output in paper sizes up to A3 or 11 x 17 in. And pages are output in the center of the device, which means you don't need extra room on the side for pages to exit.

One Giant Leap in Office Productivity

With print speeds of up to 22 to 24 pages per minute, the WorkCentre 5022/5024 delivers fast, streamlined performance with benchmark productivity – so you really can do more work in less time.

Robust features give you the ability to scan hardcopy documents in colour directly to your desktop for efficient workflows. The new, interactive User Interface gives you more opportunities to choose the settings you need to do your best work. Quickly and easily print monochrome documents, reduce or enlarge the size of your document, select text or graphics mode or set output to one-or two-sided. You can even fine-tune how light or dark you wish your final output to be so your documents always match your job's specifications — and your own expectations.

Ready to make your office more productive.





Main Unit

- Desktop
- 250-Sheet Tray
- 100-Sheet MSI
- 110-Sheet DADF
- Duplex Module
- Local Printing and Scanning
- Optional Tray 1 Lock Kit



Fax Option



Network Print/Scan Option 4

Optional 500-Sheet Tray



Optional Stand (requires #4)

6

Optional Two Tray Module with 1,000-Sheet Capacity (requires #4)

Save money by keeping high value print jobs in-house.

Use the Layout Options feature to create complex documents such as booklets and posters using multiple paper types and settings. Keep more high value jobs in-house and eliminate the hassle and expense of sending work out to a print shop.

Get more work done.

With a generous paper capacity of up to 1,850 pages, the Xerox® WorkCentre™ 5022/5024 gives you longer, uninterrupted job runs and fewer timewasting stoppages for paper reloads.

Keep your entire office in the loop.

Add the optional Network kit to your device to easily capture electronic files in full colour and share them across your organization. Scanned images can be easily edited with the OCR software that comes with the device.

Keep your office green.

Original Xerox® toner and replacement cartridges adhere to the highest environmental standards, so you'll be one step closer to a truly "green" workplace.



Rotate Output With Collation

The Rotating Collate function can be used to assemble printed output (Portrait and Landscape) by loading the same size paper (A4, B5 or letter) into any two trays from Tray 1, 2, 3, 4 and the MSI Tray.

Xerox[®] WorkCentre[™] 5022/5024

Speed	WorkCentre 5022	WorkCentre 5024
Monochrome	Up to 22 ppm (pages per minute)	Up to 24 ppm (pages per minute)
First-page-out Time	WorkCentre 5022	WorkCentre 5024
Copy from Platen	7.2 seconds or less	7.2 seconds or less
Print	14 seconds or less	14 seconds or less
Paper Types	Plain Paper/Recycled Paper/Labels	Traceonda or leas
Capacity (75 gsm paper)	Standard Tray 1: 250 sheets	
	Standard Tray 5 (MSI): 100 sheets Optional One Tray Module (Tray 2): 500 sheets Optional Two Tray Module (Trays 3 and 4): 500 sheets each Maximum 1,850 sheets (Trays 1-4 + MSI)	
Sizes	Standard selectable sizes: B5 to A3, 8.5 x 11 in., up to 11 x 17 in., custom size: 98 to 432 mm, 127 to 297 mm	
Paper Weights	Tray 1: 60 to 90 gsm Tray 5 (MSI) is standard 60 to 216 gsm Tray 2-4 (optional): 60 to 216 gsm	
Reduction/Enlargement	Size-to-Size 1:1 ± 0.8%, 25–400% Preset 50%, 70%,	81%, 94%, 100%, 122%, 127%, 141% and 200%
	WorkCentre 5022	WorkCentre 5024
Continuous Print/Copy Speed	A4 LEF Simplex–22 ppm, Duplex–16 ppm A4 SEF Simplex–15 ppm, Duplex–8.7 ppm B4/B5 SEF Simplex–12 ppm, Duplex–7.9/7.2 ppm A3 SEF Simplex–12 ppm, Duplex–8.6 ppm	A4 LEF Simplex–24 ppm, Duplex–17 ppm A4 SEF Simplex–15 ppm, Duplex–8.7 ppm B4/B5 SEF Simplex–12 ppm, Duplex–7.9/7.2 ppm A3 SEF Simplex–12 ppm, Duplex–8.6 ppm
Copy Specifications	WorkCentre 5022/5024	
Document Scanner	Platen and DADF	
Sides (input:output)	1:1, 1:2, 2:1, 2:2	
Quantity	1–999	
Resolution	600 x 600 dpi	
Copy Features	Reduce/Enlarge, N-up, ID Card Copy, Light/Darken, Auto Rotation, Toner Save	
Print Specifications	WorkCentre 5022/5024	
Memory	256 MB	
System	256 MB 300 MHz	
	256 MB	
System	256 MB 300 MHz	
System Page Description Languages	256 MB 300 MHz HBPL, PCL with Network Option	
System Page Description Languages Print Resolution	256 MB 300 MHz HBPL, PCL with Network Option Up to 600 x 600 dpi Watermark, Poster, N-up, Booklet, Mixed Document High Speed USB 2.0 direct print, optional 10Base-T/	
System Page Description Languages Print Resolution Print Features	256 MB 300 MHz HBPL, PCL with Network Option Up to 600 x 600 dpi Watermark, Poster, N-up, Booklet, Mixed Document High Speed USB 2.0 direct print, optional 10Base-T/	ows Vista® (32/64-bit), Windows Server 2008 (32/64-bit), Windows Server
System Page Description Languages Print Resolution Print Features Connectivity	256 MB 300 MHz HBPL, PCL with Network Option Up to 600 x 600 dpi Watermark, Poster, N-up, Booklet, Mixed Document High Speed USB 2.0 direct print, optional 10Base-T/ Microsoft® Windows Server® 2003 (32/64-bit), Wind	ows Vista® (32/64-bit), Windows Server 2008 (32/64-bit), Windows Server
System Page Description Languages Print Resolution Print Features Connectivity Client Operating Systems	256 MB 300 MHz HBPL, PCL with Network Option Up to 600 x 600 dpi Watermark, Poster, N-up, Booklet, Mixed Document High Speed USB 2.0 direct print, optional 10Base-T/ Microsoft® Windows Server® 2003 (32/64-bit), Wind 2008 R2, Windows 7 (32/64-bit), Windows 8 (32/64-bit)	ows Vista® (32/64-bit), Windows Server 2008 (32/64-bit), Windows Server bit), Windows Server 2012 (64 bit)
System Page Description Languages Print Resolution Print Features Connectivity Client Operating Systems Scanning Specifications	256 MB 300 MHz HBPL, PCL with Network Option Up to 600 x 600 dpi Watermark, Poster, N-up, Booklet, Mixed Document High Speed USB 2.0 direct print, optional 10Base-T/ Microsoft® Windows Server® 2003 (32/64-bit), Wind 2008 R2, Windows 7 (32/64-bit), Windows 8 (32/64- WorkCentre 5022/5024 Scan Function (Local)	ows Vista® (32/64-bit), Windows Server 2008 (32/64-bit), Windows Server bit), Windows Server 2012 (64 bit) WorkCentre 5022/5024 Scan Function (Network) Optional
System Page Description Languages Print Resolution Print Features Connectivity Client Operating Systems Scanning Specifications Connectivity	256 MB 300 MHz HBPL, PCL with Network Option Up to 600 x 600 dpi Watermark, Poster, N-up, Booklet, Mixed Document High Speed USB 2.0 direct print, optional 10Base-T/ Microsoft® Windows Server® 2003 (32/64-bit), Wind 2008 R2, Windows 7 (32/64-bit), Windows 8 (32/64- WorkCentre 5022/5024 Scan Function (Local) USB 2.0 Simplex: Mono is 18 ppm; Colour is 4 ppm	ows Vista® (32/64-bit), Windows Server 2008 (32/64-bit), Windows Server bit), Windows Server 2012 (64 bit) WorkCentre 5022/5024 Scan Function (Network) Optional Ethernet 100Base-TX/10Base-T
System Page Description Languages Print Resolution Print Features Connectivity Client Operating Systems Scanning Specifications Connectivity Scanning Speed Scanning Resolution Scan Features	256 MB 300 MHz HBPL, PCL with Network Option Up to 600 x 600 dpi Watermark, Poster, N-up, Booklet, Mixed Document High Speed USB 2.0 direct print, optional 10Base-T/ Microsoft® Windows Server® 2003 (32/64-bit), Wind 2008 R2, Windows 7 (32/64-bit), Windows 8 (32/64- WorkCentre 5022/5024 Scan Function (Local) USB 2.0 Simplex: Mono is 18 ppm; Colour is 4 ppm (A4 LEF at 200 dpi using TWAIN driver (USB) Monochrome: 600 x 600 dpi, 400 x 400 dpi, 300 x 300 dpi, 200 x 200 dpi Colour: 300 x 300 dpi, 200 x 200 dpi • Standard: Local scan (via USB, TWAIN) • Standard: Device is shipped with ABBYY FineReader for scan application support	ows Vista® (32/64-bit), Windows Server 2008 (32/64-bit), Windows Server bit), Windows Server 2012 (64 bit) WorkCentre 5022/5024 Scan Function (Network) Optional Ethernet 100Base-TX/10Base-T Up to 13 ipm colour, A4 LEF or up to 22 ipm monochrome Monochrome: 600 x 600 dpi, 400 x 400 dpi, 300 x 300 dpi, 200 x 200 dpi
System Page Description Languages Print Resolution Print Features Connectivity Client Operating Systems Scanning Specifications Connectivity Scanning Speed Scanning Resolution	256 MB 300 MHz HBPL, PCL with Network Option Up to 600 x 600 dpi Watermark, Poster, N-up, Booklet, Mixed Document High Speed USB 2.0 direct print, optional 10Base-T/ Microsoft® Windows Server® 2003 (32/64-bit), Wind 2008 R2, Windows 7 (32/64-bit), Windows 8 (32/64- WorkCentre 5022/5024 Scan Function (Local) USB 2.0 Simplex: Mono is 18 ppm; Colour is 4 ppm (A4 LEF at 200 dpi using TWAIN driver (USB) Monochrome: 600 x 600 dpi, 400 x 400 dpi, 300 x 300 dpi, 200 x 200 dpi Colour: 300 x 300 dpi, 200 x 200 dpi • Standard: Local scan (via USB, TWAIN) • Standard: Device is shipped with ABBYY	ows Vista® (32/64-bit), Windows Server 2008 (32/64-bit), Windows Server bit), Windows Server 2012 (64 bit) WorkCentre 5022/5024 Scan Function (Network) Optional Ethernet 100Base-TX/10Base-T Up to 13 ipm colour, A4 LEF or up to 22 ipm monochrome Monochrome: 600 x 600 dpi, 400 x 400 dpi, 300 x 300 dpi, 200 x 200 dpi Colour: 300 x 300 dpi, 200 x 200 dpi Scan to Email Scan to SMB: Protocol: TCP/IP (SMB) File Format: Monochrome Binary: PDF/TIFF (Multi-Page); Colour: PDF (Multi-Page) / JPEG Operating System: Windows® XP, Windows Server® 2003, Windows Vista®, Windows Server® 2008, Windows Vista® x64, Windows Server®
System Page Description Languages Print Resolution Print Features Connectivity Client Operating Systems Scanning Specifications Connectivity Scanning Speed Scanning Resolution Scan Features	256 MB 300 MHz HBPL, PCL with Network Option Up to 600 x 600 dpi Watermark, Poster, N-up, Booklet, Mixed Document High Speed USB 2.0 direct print, optional 10Base-T/ Microsoft® Windows Server® 2003 (32/64-bit), Wind 2008 R2, Windows 7 (32/64-bit), Windows 8 (32/64- WorkCentre 5022/5024 Scan Function (Local) USB 2.0 Simplex: Mono is 18 ppm; Colour is 4 ppm (A4 LEF at 200 dpi using TWAIN driver (USB) Monochrome: 600 x 600 dpi, 400 x 400 dpi, 300 x 300 dpi, 200 x 200 dpi Colour: 300 x 300 dpi, 200 x 200 dpi • Standard: Local scan (via USB, TWAIN) • Standard: Device is shipped with ABBYY FineReader for scan application support	ows Vista® (32/64-bit), Windows Server 2008 (32/64-bit), Windows Server bit), Windows Server 2012 (64 bit) WorkCentre 5022/5024 Scan Function (Network) Optional Ethernet 100Base-TX/10Base-T Up to 13 ipm colour, A4 LEF or up to 22 ipm monochrome Monochrome: 600 x 600 dpi, 400 x 400 dpi, 300 x 300 dpi, 200 x 200 dpi Colour: 300 x 300 dpi, 200 x 200 dpi Scan to Email Scan to SMB: Protocol: TCP/IP (SMB) File Format: Monochrome Binary: PDF/TIFF (Multi-Page); Colour: PDF (Multi-Page) / JPEG Operating System: Windows® XP, Windows Server® 2003, Windows Vista®, Windows Server® 2008, Windows Vista® x64, Windows Server®

For more information about the Xerox® WorkCentre™ 5022/5024, visit www.xerox.com.

